

# HDPQ Power Quality Packages



# Table of Contents

HDPQ Family Features Comparison Guide	2
<b>HDPQ Visa Packages</b>	
HDPQ-VA10PKG	3
HDPQ-VA500PKG	4
HDPQ-VA550PKG	5
HDPQ-VAFLEX3KPKG	6
HDPQ -VAFLEX6KPKG	7
HDPQ-VAMFLEX3PKG	8
<b>HDPQ Guide Packages</b>	
HDPQ-Guide	9
HDPQ-GA10PKG	10
HDPQ-GA500PKG	11
HDPQ-GA550PKG	12
HDPQ-GAFLEX3KPKG	13
HDPQ-GAFLEX6KPKG	14
HDPQ-GAMFLEX3PKG	15
<b>HDPQ Xplorer Packages</b>	
HDPQ-Xplorer	16
HDPQ-XA10PKG	17
HDPQ-XA500PKG	18
HDPQ-XA550PKG	19
HDPQ-XAFLEX3KPKG	20
HDPQ-XAFLEX6KPKG	21
HDPQ-XAMFLEX3PKG	22
<b>HDPQ Xplorer-400 Packages</b>	
HDPQ-Xplorer-400	23
HDPQ-X4A10PKG	24
HDPQ-X4A500PKG	25
HDPQ-X4A550PKG	26
HDPQ-X4FLEX3KPKG	27
HDPQ-X4FLEX6KPKG	28
HDPQ-X4MFLEX3PKG	29
<b>HDPQ Probe Packages</b>	30



# Dranetz HDPQ Family - Features Guide

	Feature	HDPQ Visa	HDPQ Guide	HDPQ Xplorer	
Communications	Ethernet	●	●	●	
	Wi-Fi		●	●	
	Bluetooth	Optional	●	●	
	USB	●	●	●	
	VNC for Full Remote Control of the Instrument	●	●	●	
	Apple & Android Apps for Metering & Alarming	●	●	●	
	GPS Time Synch (See Note below)	●	●	●	
Measurements	(4) Differential, AC/DC Voltage Channels, 0-1000V	●	●	●	
	(4) Differential, AC/DC Current Channels, FLEX Power	●	●	●	
	1000V Cat III, 600V CAT IV	●	●	●	
	IEC 61000-4-30:2008 Class A with Certificate	●	●	●	
	512 Samples/Cycle/Channel on V & I	●	●	●	
	Sag/Dip, Swell	●	●	●	
	Transients to 32us/40us (60Hz/50Hz)	●	●	●	
	Transients to 1us			●	
	Demand & Energy	●	●	●	
	IEEE 1159 Advanced Energy		●	●	
	Harmonics V/I	127/63	127/63	127/63	
	EN 50160 Edition 3	●	●	●	
	400Hz monitoring			HDPQ Xplorer-400	
	Answer Modules	Motor Health	●	●	●
		Sag Directivity		●	●
Power Factor Correction Capacitor			●	●	
Setups	Automatic Setups for PQ, Demand & Energy	●	●	●	
	Manual Setup Wizard	●	●	●	
	Monitoring Modes	7	9	9	
	Max Pre/Post Trigger Cycles	100	10,000	10,000	
	# Transient Triggers	3	3	4	
Safety	UL	●	●	●	
	CE	●	●	●	

Note: GPS Time Synch requires optional GPS receiver and antenna.



# HDPQ Power Quality Package

## HDPQ-VA10PKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

VISA



# HDPQ Power Quality Package

## HDPQ-VA500PKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!



#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.




#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.



#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-VA550PKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-VAFLEX3KPKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-VAFLEX6KPKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-VAMFLEX3PKG



### HDPQ Visa

#### The Best Value in PQ & Energy Monitoring

The Dranetz HDPQ® Visa is the best value in Power Quality and Energy monitoring – hands down!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7P-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ-Guide



## HDPQ Guide

**The Best Combination of Value & Technology in a PQ Analyzer**

**Safe, Powerful & Intelligent**

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

GUIDE



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



# HDPQ Power Quality Package

## HDPQ-GA10PKG



### HDPQ Guide

**The Best Combination of Value & Technology in a PQ Analyzer**

### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)


#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-GA500PKG



### HDPQ Guide

The Best Combination of Value & Technology in a PQ Analyzer

#### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

GUIDE

# HDPQ Power Quality Package

## HDPQ-GA550PKG



### HDPQ Guide

The Best Combination of Value & Technology in a PQ Analyzer

#### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**GUIDE**

# HDPQ Power Quality Package

## HDPQ-GAFLEX3KPKG



### HDPQ Guide

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the Dranetz HDPQ® Guide than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

GUIDE

# HDPQ Power Quality Package

## HDPQ-GAFLEX6KPKG



### HDPQ Guide

The Best Combination of Value & Technology in a PQ Analyzer

#### Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-GAMFLEX3PKG



### HDPQ Guide

The Best Combination of Value & Technology in a PQ Analyzer

Safe, Powerful & Intelligent

Power Quality instruments are no different than anything else – you get what you pay for – you just get much more from the **Dranetz HDPQ® Guide** than with any other instrument in its class!

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.

GUIDE

# HDPQ-Xplorer



## HDPQ Xplorer

### Simply the Best PQ Available - Don't Miss An Event

The **Dranetz HDPQ® Xplorer** merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

**XPLORER**



# HDPQ Power Quality Package

## HDPQ-XA10PKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.



#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-XA500PKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2500B 10A to 500Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER**

# HDPQ Power Quality Package

## HDPQ-XA550PKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.

#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

#### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-XAFLEX3KPKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER**

# HDPQ Power Quality Package

## HDPQ-XAFLEX6KPKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



#### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



#### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



#### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



#### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



#### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8” dia. maximum conductor size, 1000V Max rated.



#### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



#### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-XAMFLEX3PKG



### HDPQ Xplorer

#### Simply the Best PQ Available - Don't Miss An Event

The Dranetz HDPQ® Xplorer merges the state-of-the-art power monitoring you expect from Dranetz, with “best in class” communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.



### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2” dia. maximum conductor size, 1000V Max rated.



### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12” L x 18” W x 9” D (30.5cm L x 45.7cm W x 22.9cm D)



### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER**

# HDPQ-Xplorer-400



## HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The **Dranetz HDPQ® Xplorer 400** merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.



### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.



### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.



### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.



### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.



### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

**XPLORER 400**



# HDPQ Power Quality Package

## HDPQ-X4A10PKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 4 - TR-2510B 1A to 10Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER 400**

# HDPQ Power Quality Package

## HDPQ-X4A500PKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 4 - TR-2500B 10A to 500Arms CT


1.5V output, Dranetz Hypertronics connector, 3 meter cable, 50mm dia. maximum conductor size.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER 400**

# HDPQ Power Quality Package

## HDPQ-X4A550PKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 4 - TR-2550B 1A to 100Arms CT

1.5V output, Dranetz Hypertronics connector, 3 meter cable, 15mm dia. maximum conductor size.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER 400**

# HDPQ Power Quality Package

## HDPQ-X4AFLEX3KPKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



# HDPQ Power Quality Package

## HDPQ-X4AFLEX6KPKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER 400**

# HDPQ Power Quality Package

## HDPQ-X4AMFLEX3PKG



### HDPQ Xplorer 400

Simply the Best PQ Available for 50Hz, 60Hz and 400Hz Applications  
Don't Miss An Event

The Dranetz HDPQ® Xplorer 400 merges the state-of-the-art power monitoring you expect from Dranetz, with "best in class" communication capabilities to provide our users with a revolutionary monitoring experience.

### AC Adapter 118317-G1

AC Adapter: 100-240Vac 50/60Hz, includes: US, EURO, UK, AUSTRALIA and CHINA plug adapters.

### USB-MCABLE

USB male A to USB Micro B, 6 foot cable.

### USB-BLUETOOTH

USB Bluetooth 2.1 adapter, class I.

### 118313-G1 Keyhole Mounting Kit

Keyhole mounting kit for HDPQ.

### Voltage Cable Set 118375-G1

Includes: 8 - Six ft. (183cm) measurement cables: 4 Black, 4 White; 4 - Black alligator clips; 4 - White alligator clips; 4 - Black 25 cm stackable jumpers. Compatible with portable and permanent systems with 4mm voltage connectors.

### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.

### SCC-HDPQ Soft Carry Case

Individual storage compartments for the instrument, CT's, voltage cables and more. Dimensions: 12" L x 18" W x 9" D (30.5cm L x 45.7cm W x 22.9cm D)

### Dran-View® 7 DV7E-PX

Dran-View is a Windows based software package that enables power professionals to simply and quickly visualize and analyze power and energy monitoring data. It is a snap to navigate, delivers automated functionality and incorporates powerful analytical capabilities and customizable options to meet the needs of every user. Dran-View is successfully used by thousands of customers around the world, and has become the industry leading power management software tool.



**XPLORER 400**



## HDPQ Probe Packages



### MFLEX6PKG-HD

#### 4 – DRANFLEX300MHB6 Single phase flex probe 3/30/300Amp

3A to 300Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 2" dia. maximum conductor size, 1000V Max rated.



### FLEX3K24PKG-HD

#### 1- DRANFLEX3003XLB24 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB24 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX3K36PKG-HD

#### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX3K48PKG-HD

#### 1- DRANFLEX3003XLB36 Three phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX3000XLB36 Single phase flex probe 30/300/3000Amp

3A to 3000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.



### FLEX6K24PKG-HD

#### 1- DRANFLEX6003XLB24 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB24 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 8" dia. maximum conductor size, 1000V Max rated.



### FLEX6K36PKG-HD

#### 1- DRANFLEX6003XLB36 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB36 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 11" dia. maximum conductor size, 1000V Max rated.



### FLEX6K48PKG-HD

#### 1- DRANFLEX6003XLB48 Three phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.

#### 1- DRANFLEX6000XLB48 Single phase flex probe 60/600/6000Amp

6A to 6000Amp (3 ranges), 1.5V output, Dranetz Hypertronics connector, 17" dia. maximum conductor size, 1000V Max rated.





## Dranetz - The Standard for Energy & Power Management

For more than 50 years, Dranetz has been the leading provider of intelligent monitoring solutions for electrical demand, energy and power quality. With over 100,000 clients worldwide, Dranetz's scalable solutions range from portable power quality analysis equipment, to permanent energy management devices with data storage and web-based solutions. Dranetz provides a full suite of services, including personalized pre- and post-sales support, educational power quality seminars, consulting, customization and on-site assistance.

Dranetz corporate headquarters, located in Edison, New Jersey USA, includes sales, product support and manufacturing, with distributors and sales representatives located globally. Dranetz proudly manufactures their products in the USA, and is also a global supplier of [Gossen Metrawatt \(GMC-I\)](#) electrical test and measurement products.

View our power quality analyzers, energy monitoring systems, electrical safety testers, electrical digital multifunction meters and more at [www.Dranetz.com](http://www.Dranetz.com) (categorized by function to easily determine the Dranetz product that is the right tool for your needs).

